MOTHS (Lepidoptera)

PROMINENTS, Family Notodontidae Medium-sized, heavy-bodied, usually brownish moths, with threadlike antennae; wings at rest held rooflike over abdomen; Cu in FW appears 3-branched.

YELLOW-NECKED CATERPILLAR, Datana ministra (Drury); e. U.S.

1 1010 11

HOOK-TIP MOTHS, Family Drepanidae p. 236 Small, relatively *small-bodied*, brownish; tip of FW usually sickle-shaped; Cu in FW appears 4-branched; frenulum small or absent.

Drepana arcuata (Walker); e. U.S.

NOCTUID MOTHS, Family Noctuidae Small to medium-sized (rarely large), usually dark-colored, with threadlike antennae; wings at rest held rooflike over body or outstretched; Cu in FW appears 4-branched; Sc and R in HW fused for only a very short distance at base of wing; ocelli nearly always present.

CABBAGE LOOPER, Trichoplusia ni (Hübner); N. America. ILIA UNDERWING, Catocala ilia (Cramer); N. America.

CTENUCHID MOTHS, Family Ctenuchidae Small, day-flying, usually dark-colored, with threadlike antennae; at rest appear triangular, with wings folded back but horizontal; venation as in Noctuidae (see above), but Sc+R1 in HW absent.

YELLOW-COLLARED SCAPE MOTH, Cisseps fulvicollis (Hübner); e. N. America.

VIRGINIA CTENUCHA, Ctenucha virginica (Charpentier); ne. U.S.

TENT CATERPILLARS, Family Lasiocampidae Small to medium-sized, heavy-bodied, brownish, bluish, or blackish, with somewhat feathery antennae; frenulum lacking, the humeral angle of HW expanded and with humeral veins. EASTERN TENT CATERPILLAR, Malacosoma americanum


(Fabricius); e. N. America.

TIGER MOTHS, Family Arctiidae Medium-sized, heavy-bodied; usually light-colored, often brightly

spotted or banded; venation as in Noctuidae (see above), but Sc and R in HW usually fused to about middle of discal cell. BANDED WOOLLYBEAR, *Isia isabella* (Smith); N. America. SALT-MARSH CATERPILLAR, *Estigmene acraea* (Drury), δ^* ;

N. America.

VIRGIN TIGER MOTH, Apantesis virgo (Linn.); ne. U.S., Canada.







ILIA UNDERWING

VIRGIN TIGER MOTH