BEETLES (Coleoptera)

SAP BEETLES, Family Nitidulidae p. 177
Antennae with an abrupt 3-segmented club; tarsi 5-5-5 or 4-4-4; tip of abdomen often exposed beyond FW; 12 mm. or less.

Glischrochilus quadrisignatus (Say); N. America.

FIRE-COLORED BEETLES, Family Pyrochroidae p. 183

Elongate, narrow, pronotum (sometimes also head and FW)

reddish; pronotum narrower than FW; FW sometimes slightly
wider toward rear; antennae serrate or pectinate; tarsi 5-5-4.

Dendroides bicolor Newman; U.S.

Small, broadly oval, convex, often brightly colored; head generally concealed by pronotum; tarsi appear 3-3-3; antennae short and clubbed.

a. Hippodamia convergens Guérin-Mèneville; N. America. b. TWO-SPOTTED LADYBIRD BEETLE, Adalia bipunctata (Linn.); N. America.

FLAT BARK BEETLES, Family Cucujidae p. 176
Body very flat, elongate, parallel-sided; brown, reddish, or blackish; antennae usually threadlike, sometimes clubbed; tarsi 5-5-5,
sometimes appearing 5-5-4.
Cucujus clavipes Fabricius; e. U.S.

HANDSOME FUNGUS BEETLES, Family Endomychidae p. 180 Oval, convex, shiny, often brightly colored; front corners of pronotum extend forward; 2 longitudinal grooves in rear half of pronotum; tarsi appear 3-3-3.

Aphorista vittata (Fabricius); e. U.S.

BLISTER BEETLES, Family Meloidae p. 184
Elongate, slender, soft-bodied; pronotum narrower than head or FW; antennae threadlike; tarsi 5-5-4.
Lytta aenea (Say); e. U.S.

LIZARD BEETLES, Family Languriidae p. 175

Elongate, slender, nearly parallel-sided; dark, shining, pronotum
and sometimes also head reddish or yellowish; antennae clubbed;
tarsi 5-5-5.

CLOVER STEM BORER, Languria mozardi Latreille; e. U.S.

PLEASING FUNGUS BEETLES, Family Erotylidae p. 176
Elongate to broadly oval; black, shiny, often with red, orange, or yellow; antennae *clubbed*; tarsi 5-5-5, 4th segment often small.

Megalodacne heros (Say); e. U.S.

